
C L O V E R RESORT RESIDENCE



WELCOME TO CLOVER THE NEWEST COLLECTION THAT FLOURISHES WITHIN THE HEART OF **BANDAR SRI SENDAYAN**





This resort residence is primed to host the best of nature's offerings, paired with modern amenities and an unparalleled sense of community.




A Majestic Invitation

Designed entirely with modern architecture as its inspiration, Clover welcomes you with a grand entrance that serves to impress upon your very first step in.

A GRACEFUL LIFE AMONGST LUSH GREENERY AWAITS



A Visual Treat For Your Every Day Clover aims to establish aesthetically-pleasing and fully functional spaces for its community, and this is conveyed through its luscious landscaping. It's designed to encourage recreation as well as relaxation.





Come Closer To Nature

Woven through the development to encourage quality time spent amongst loved ones, refreshing pockets of greenery are placed strategically throughout and are versatile enough even for those who seek quiet solitude.



Nestled in the heart of a self-sustaining township, Clover features modern facades and architecture that draws you in upon the first meet. Open concept layouts present wide, open spaces, ensuring that every single unit type is spacious and welcoming.

Where Your Next Chapter Beckons



Skilled Craftsmanship, Right Down To the Details ۲ .

> The Clover experience is made complete by paying attention to the littlest of details, including the various finishes to each and every living space. Quality laminated floorboards, high-standard tiles for flooring, and premium touches are what tying the Clover home together, to convey the luxury of privacy at the same time.



Bedroon






rivate Garden Type B

TYPE A 2-Storey Link Homes 22' x 70'

4 Bedrooms & 4 Bathrooms Built-up : 2,586 sq. ft. (Int)




TYPE B 2-Storey Link Homes 22' x 80'-124'


4 Bedrooms & 4 Bathrooms Built-up : 2,650 sq. ft. (Int)

> CORNER INTERMEDIATE VARIES 4233 6706 3673 3353 3353 TERRACE 2 CAR PORCH Ground Floor











RESORT RESIDENCE

2-STOREY LINK HOMES

Pla

SPECIFICATIONS

STRUCTURE
WALL
ROOFING COVERING
ROOF FRAMING
CEILING
WINDOWS

Reinforced Concrete Clay Bricks Reinforced Concrete Slab / Metal Deck Roofing Sheets / Tiles (Type B CT) Lightweight Steel Trusses Plaster Ceiling / Skim Coat Powder Coated

Sliding Door

DOORS

Powder Coated c/w Clear Glass Decorative Door

IRONMONGERY

WALL FINISHES

Baths Kitchen (Behind Sink)

I.7m Height Emulsion Paint

		Туре А	Туре В		
FLOOR FINISHES	Corner	Intermediate	End Lot	Corner	Intermediate
Living & Dining	Tile	Tile	Tile	Tile	Tile
Foyer				Tile	Tile
, Dry / Wet Kitchen	Tile	Tile	Tile	Tile	Tile
Laundry	Tile	Tile	Tile	Tile	Tile
GF Bedroom	Tile	Tile	Tile	Tile	Tile
Bathrooms	Tile	Tile	Tile	Tile	Tile
Utility	Tile	Tile	Tile	Tile	Tile
Entry				Tile	Tile
Car Porch & Driveway	Tile	Tile	Tile	Tile	Tile
Terrace	Tile		Tile	Tile	
Balcony	Tile		Tile	Tile	
IF Bedrooms	Laminated	Laminated	Laminated	Laminated	Laminated
Family	Laminated	Laminated	Laminated	Laminated	Laminated
Staircase	Laminated	Laminated	Laminated	Laminated	Laminated
Concrete Roof	Cement /	Cement /	Cement /	Cement /	Cement /
	Concrete Finish	Concrete Finish	Concrete Finish	Concrete Finish / Tile	Concrete Finish

NITARY AND	
UMBING FITTINGS	


		Туре А		Туре В	
NITARY AND JMBING FITTINGS	Corner	Intermediate	End Lot	Corner	Intermediate
h Basin er Closet wer Head nen Sink	4 Units 4 Units 4 Units 2 Units				
CTRICAL INSTALLATIONS					
ting Point er Point (13 AMP) ng Fan Point er Heater Power Point Cond, Power Point ng Auto Gate Point orbell Point o Point	26 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	23 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	26 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	26 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	24 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points
FERNAL TELECOMMUNICAT					
phone Point e Optics Cabling c/w Fibre Wall set and Fibre Termination Box	2 Points I Point	2 Points I Point	2 Points I Point	2 Points I Point	2 Points Point
NCING					
ıt	I.65m Height Brickwall c/w Mild Steel Gate I.5m Height Brickwall	I.65m Height Brickwall c/w Mild Steel Gate -	I.65m Height Brickwall c/w Mild Steel Gate I.5m Height Brickwall	I.65m Height Brickwall c/w Mild Steel Gate I.5m Height Brickwall	I.65m Height Brickwall c/w Mild Steel Gat -
(Sharing Wall)	I.65m Height Brickwall I.5m Height Brickwall	I.65m Height Brickwall -	I.65m Height Brickwall I.5m Height Brickwall	I.65m Height Brickwall I.5m Height Hi-sac Fence c/w Hi-sac Gate	I.65m Height Brickwall I.5m Height Hi-sac Fence c/w Hi-sac Ga
RFING	Cow Grass		Cow Grass	Cow Grass	Cow Grass

		Туре А		Туре В		
SANITARY AND PLUMBING FITTINGS	Corner	Intermediate	End Lot	Corner	Intermediate	
Wash Basin Water Closet Shower Head	4 Units 4 Units 4 Units	4 Units 4 Units 4 Units	4 Units 4 Units 4 Units	4 Units 4 Units 4 Units	4 Units 4 Units 4 Units	
Kitchen Sink	2 Units	2 Units	2 Units	2 Units	2 Units	
ELECTRICAL INSTALLATIONS						
Lighting Point	26 Points	23 Points	26 Points	26 Points	24 Points	
Power Point (13 AMP)	17 Points	17 Points	17 Points	17 Points	17 Points	
Ceiling Fan Point	7 Points	7 Points	7 Points	7 Points	7 Points	
Water Heater Power Point	4 Points	4 Points	4 Points	4 Points	4 Points	
Air Cond. Power Point	7 Points	7 Points	7 Points	7 Points	7 Points	
Swing Auto Gate Point	l Point	l Point	l Point	l Point	l Point	
Doorbe ll Point Astro Point	l Point 2 Points	l Point 2 Points	l Point 2 Points	l Point 2 Points	l Point 2 Points	
INTERNAL TELECOMMUNICATI	ON TRUNKING AI	ND CABLING				
Telephone Point	2 Points	2 Points	2 Points	2 Points	2 Points	
Fibre Optics Cabling c/w Fibre Wall Socket and Fibre Termination Box	l Point	I Point	l Point	I Point	l Point	
FENCING						
Front	1.65m Height Brickwall c/w Mild Steel Cote	1.65m Height Brickwall c/w Mild Steel Cate	I.65m Height Brickwall c/w Mild Stool Cate	I.65m Height Brickwall c/w Mild Steel Cate	I.65m Height Brickwall c/w Mild Steel Gat	
Side	Mild Steel Gate I.5m Height Brickwa ll	Mild Steel Gate -	Mild Steel Gate 1.5m Height Brickwall	Mild Steel Gate 1.5m Height Brickwall	-	
Side (Sharing Wall)	1.65m Height Brickwa ll	1.65m Height Brickwa ll	1.65m Height Brickwall	I.65m Height Brickwall	1.65m Height Brickwall	
Rear	I.5m Height Brickwall		I.5m Height Brickwall	I.5m Height Hi-sac Fence c/w Hi-sac Gate	I.5m Height Hi-sac Fence c/w Hi-sac Ga	
TURFING	Cow Grass		Cow Grass	Cow Grass	Cow Grass	

	Туре А			Туре В		
SANITARY AND PLUMBING FITTINGS	Corner	Intermediate	End Lot	Corner	Intermediate	
Wash Basin Water Closet Shower Head Kitchen Sink	4 Units 4 Units 4 Units 2 Units					
ELECTRICAL INSTALLATIONS						
Lighting Point Power Point (13 AMP) Ceiling Fan Point Water Heater Power Point Air Cond. Power Point Swing Auto Gate Point Doorbell Point Astro Point	26 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	23 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	26 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	26 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	24 Points 17 Points 7 Points 4 Points 7 Points 1 Point 1 Point 2 Points	
INTERNAL TELECOMMUNICATIO	N TRUNKING AI	ND CABLING				
Telephone Point Fibre Optics Cabling c/w Fibre Wall Socket and Fibre Termination Box	2 Points I Point					
FENCING						
Front	I.65m Height Brickwall c/w Mild Steel Gate	I.65m Height Brickwall c/w Mild Steel Gate	I.65m Height Brickwall c/w Mild Steel Gate	1.65m Height Brickwall c/w Mild Steel Gate	I.65m Height Brickwall c/w Mild Steel Gat	
Side	I.5m Height Brickwall		I.5m Height Brickwall	I.5m Height Brickwall		
Side (Sharing Wall)	I.65m Height Brickwall					
Rear	I.5m Height Brickwall		I.5m Height Brickwall	I.5m Height Hi-sac Fence c/w Hi-sac Gate	I.5m Height Hi-sac Fence c/w Hi-sac Ga	
TURFING	Cow Grass		Cow Grass	Cow Grass	Cow Grass	

E N	IC	NI	\sim
FΙΝ	ч.		(п
_			<u> </u>

		Туре А		Туре В	
SANITARY AND PLUMBING FITTINGS	Corner	Intermediate	End Lot	Corner	Intermediate
Wash Basin Water Closet Shower Head	4 Units 4 Units 4 Units	4 Units 4 Units 4 Units			
Kitchen Sink	2 Units	2 Units	2 Units	2 Units	2 Units
ELECTRICAL INSTALLATIONS					
_ighting Point	26 Points	23 Points	26 Points	26 Points	24 Points
Power Point (13 AMP)	17 Points	17 Points	7 Points	17 Points	17 Points
Ceiling Fan Point	7 Points	7 Points	7 Points	7 Points	7 Points
Water Heater Power Point	4 Points	4 Points	4 Points	4 Points	4 Points
Air Cond. Power Point	7 Points	7 Points	7 Points	7 Points	7 Points
Swing Auto Gate Point	l Point	l Point	l Point	l Point	l Point
Doorbe ll Point Astro Point	l Point 2 Points	l Point 2 Points	l Point 2 Points	l Point 2 Points	l Point 2 Points
INTERNAL TELECOMMUNICATI) Pointe	2 Pointe	2 Pointe
Telephone Point Fibre Optics Cabling c/w Fibre Wall Socket and Fibre Termination Box	2 Points I Point	2 Points I Point	2 Points I Point	2 Points I Point	2 Points I Point
FENCING					
Front	1.65m Height Brickwall c/w Mild Steel Gate	1.65m Height Brickwall c/w Mild Steel Gate	I.65m Height Brickwall c/w Mild Steel Gate	1.65m Height Brickwall c/w Mild Steel Gate	I.65m Height Brickwall c/w Mild Steel Gat
Side	I.5m Height Brickwa ll	-	I.5m Height Brickwall	I.5m Height Brickwall	- -
Side (Sharing Wall)	1.65m Height Brickwa ll	1.65m Height Brickwa ll	1.65m Height Brickwall	I.65m Height Brickwall	I.65m Height Brickwall
Rear	I.5m Height Brickwall		I.5m Height Brickwall	1.5m Height Hi-sac Fence c/w Hi-sac Gate	1.5m Height Hi-sac Fence c/w Hi-sac Ga
TURFING	Cow Grass		Cow Grass	Cow Grass	Cow Grass



BANDAR SRI SENDAYAN

- Sendayan City
- 2 Sendayan Merchant Square
- **3** Sendayan X-Park
- d'Tempat Country Club
- 5 Matrix Global Schools
- 6 SJK(C) Bandar Sri Sendayan
- SMK Bandar Baru Sri Sendayan
- 8 Sendayan Metropark
- 9 Sendayan Green Park
- Sendayan TechValley

CONVENIENTLY ACCESSIBLE VIA

- · North-South Expressway (PLUS)
- \cdot Seremban-Port Dickson Highway
- · Senawang-KLIA Expressway
- (proposed highway)
- · KLIA Linkage

TOLL PLAZAS

- Bandar Ainsdale Toll (Exit 217)
 Seremban Toll (Exit 218)
- Port Dickson Toll (Exit 219)

MAJOR SURROUNDING LANDMARKS

- 24km Sepang International Circuit
- 26km Port Dickson Waterfront
- 30km Kuala Lumpur International Airport
- (KLIA)
- 46km Putrajaya International Convention
- Centre (PICC)
- 71km KLCC
- 96km A'Famosa Malacca

SHOPPING MALLS & RETAIL OUTLETS

- 8km Mydin Hypermarket Seremban 2
- 9km AEON Seremban 2
- I I km Tesco Extra Seremban 2
- I I km NSK Trade City Seremban
- I 2km Palm Mall

MEDICAL CENTRES

- I I km Columbia Asia Hospital
- I2kmKPJ Seremban Specialist HospitalI4kmHospital Tuanku Ja'afar Seremban

LEISURE DESTINATIONS

8kmS2 Hill Park8kmS2 City Park

EDUCATIONAL INSTITUTIONS

2kmSMK (Felda) Sri Sendayan4kmSJK (T) Bandar Sri Sendayan7kmSJK (C) Tung Hua S2 Heights24kmNilai University25kmINTI International University

All information above has been retrieved from Google Maps. The distances are measured using d'Tempat Country Club as its starting point. Please refer to Google Maps for further information.



– Nurturing Environments, Enriching Lives.



A Member Of MATRIX CONCEPTS HOLDINGS BERHAD (414615-U) Developer BSS DEVELOPMENT SDN BHD

BSS DEVELOPMENT SDN BHD (689638-X) ima Matrix, No.57, Jalan Tun Dr. (smail, 200 Seremban, Negeri Sembilan D.K. Malaysia 606 764 2688 F + 606 764 6288 trix Galleria @ d'Tempat 12653, Jalan Pusat Dagangan Sendayan 1 560 Bandar Sri Sendayan, Negeri Sembilan D.K. M 606 792 2868 F + 606 792 2878





Resort Residence 1 • No. Lesen Pemaju : 10613-38/09-2021/0879(L) • Tempoh Sah : 27/09/2019 – 26/09/2021 • No. Permit Ikhn : 10613-38/09-2021/0879(P) • Tempoh Sah : 27/09/2019 – 26/09/2021 • Cheve (RTDT-A) - 315 Unit, RM 803.888 (Min) – RM 1.321,888 (Max) • Clover (RTDT-A) - 315 Unit, RM 803.888 (Min) – RM 1.321,888 (Max) • Clover (RTDT-A) - 315 Unit, RM 803.888 (Min) – RM 1.321,888 (Max) • Clover (RTDT-B) - 51 Unit, RM 823.468 (Min) – RM 1.242,138 (Max) • All renderings contained in this advertisement. are artist's impressions only. The information contained herein is subject to change without notification as may be required by the relevant authorities or developer's project consultant. Whilst every care is taken in providing this information, the owner, developer and manager cannot be held responsible for any variations. For avoidance of doubt on the specifications, prefer to the Sales and Purchase Agreement.